

MDEStat Meeting

March 19, 2012



Robert M. Summers, Secretary

Sue Battle-McDonald, Stat Director

Table 1: RHP Inspections 7/1/11-12/21/11

	Number of Sites Inspected (total)	Number of Sites Inspected by MDE Staff	Number of Verification Visits
RMD	659	492	70
RMLCD	49	49	0

Table 2: State Asbestos Management Plans Due 9/30/11

Facility Information	11/28/11	1/19/12	3/12/12
Closed	9	9	9
Reviewed & OK	45	71	73
Reviewed and awaiting further information	64	63	63
Not received*	63	47	45
TOTAL	181	190	190

**A letter went out November 4th to the facilities that have not sent in the management plan. Another letter went January 3rd to facilities that still have not submitted management plans. The difference in the two totals is because some facilities were originally grouped together and later elected to send in separate management plans, which were submitted within the last month.*

Table 3: Facilities with Administratively-Extended Title V Permits *(Continued on next slide)*

Facility	Permit Expiration Date	Date Renewal App. Received	Date Pre-Draft Sent to Applicant	Date Tent. Det. Notice Published (starts 30-day public comment period) – If not published yet, provide target date	Date EPA 45-Day Comment Period Started – If not started yet, provide target date
Holcim	4/30/09	11/14/08	Meeting with Holcim on 7/15/10; Another meeting with Holcim on 3/9/11		
RG Steel (formerly Severstal)	5/31/10	11/17/09	6/14/10; Revised predraft on 10/4/11	8/20/10	

Table 3: Facilities with Administratively-Extended Title V Permits

Facility	Permit Expiration Date	Date Renewal App. Received	Date Pre-Draft Sent to Applicant	Date Tent. Det. Notice Published (starts 30-day public comment period) – If not published yet, provide target date	Date EPA 45-Day Comment Period Started – If not started yet, provide target date
R. Paul Smith	9/30/11	9/30/10			
Montgomery County	10/31/11	4/29/11			



Table 4: Enforcement Cases Pending in OAG

Date	2/10	6/10	9/10	12/10	3/11	6/11	10/11	11/28	1/23/12	3/12/12
Air	39	36	28	28	28	29	29	31	30	29
Asbestos			8	8	8	8	9	9	9	10
Radiation	69	76	86	87	80	76	70	62	58	62
Total	108	112	122	123	116	113	108	102	97	101

Table 5: MACT Sources Currently Operating in Maryland (Continued on Next Slide)

MACT Source Category	Number of Sources in MD	Number of Sources Providing Notice to MDE	Compliance Deadline for Source Category
Dry Cleaners	377	377	9/23/1996
Portland Cement Kilns	2	2	6/14/2002
Wood Preservers	4	4	7/17/2007
EtO Sterilizers	10	10	12/29/2008
Plating and Polishing	8	8	7/1/2010
Asphalt Processing & Roof Manufacturing	3	3	12/2/2010
Bulk Terminals/Plants	43	43	1/10/2011
Gasoline Dispensers *	2,241	2,241	1/10/2011

Table 5: MACT Sources Currently Operating in Maryland

MACT Source Category	Number of Sources in MD	Number of Sources Providing Notice to MDE	Compliance Deadline for Source Category
Paint Stripping and Autobody Refinishing	1,364	340	1/10/2011
Metal Fabrication and Finishing	6	6	7/25/2011
Prepared Feeds	6	6	1/5/2012
Industrial, Commercial and Institutional Boilers	53	53	3/21/12 ** 3/21/14
Chemical Manufacturing	5	5	10/29/2012
Stationary Internal Combustion Engines	491	169	Varies depending on size and category, 5/3/2013, 10/19/2013
Total for MACT Sources	4,611	3,265	NA
All Low-Impact Sources	11,553	NA	NA

* Handling through Stage I and II efforts. EPA determined that our Stage I program is equivalent for the MACT. A Stage I/II inspection serves as a MACT inspection.

** In December 2011, EPA delayed the effective date of the Boiler MACT rule for at least one year.

Table 6: ARMA Priority Recruitments

PIN	Vacancy Date	Date Identified as Priority	Date Exception Req. to OBF	Date Exception Req. to DBM	DBM approval rcvd? Y/N	Overdue for Action by Admin? Y/N – if yes please explain
018375 Nat Res Planner I/II	10/13/11	10/07/11 Resubmitted 01/11/2012	1/27/12	2/9/12	Y 03/01/12	N
066367 Hlth Physicist Supervisor	2/4/11	01/11/2012	2/23/12	2/29/12	N	N
078561 Reg Compliance Eng III	10/31/11	11/10/11 Resubmitted 3/08/2012	1/27/12	2/9/12	N 3/7/12	N
047879 Administrator III (Economist)	10/31/11	12/08/11	1/27/12	2/9/12	Y 03/07/12	N