



MARYLAND DEPARTMENT OF THE ENVIRONMENT

Lead Poisoning Prevention Program

Childhood Blood Lead Surveillance in Maryland

2013 Annual Report

Blood Lead Level (increment of 5 $\mu\text{g}/\text{dL}$) by age, and county of residence
Supplementary Data Tables: Supplement #1

July, 2014



MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Allegany County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	21						21
One Year	530	23	2				555
Two Years	460	22				1	483
Three Years	51	4	1			1	57
Four Years	55	7					62
Five Years	28	4					32
Total	1,145	60	3	0	0	2	1,210
6-17 Years	35	1					36

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	2						2
One Year	49	10	2				61
Two Years	45	5				1	51
Three Years	20	3	1			1	25
Four Years	14	4					18
Five Years	8	4					12
Total	138	26	3	0	0	2	169
6-17 Years	18						18

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Anne Arundel County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	453	4		1			458
One Year	3,320	33	4	1	1		3,359
Two Years	2,317	22	2				2,341
Three Years	813	8					821
Four Years	703	7					710
Five Years	601	3				1	605
Total	8,207	77	6	2	1	1	8,294
6-17 Years	662	1		1			664

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	294	2		1			297
One Year	2,260	22	3	1	1		2,287
Two Years	1,588	12	2				1,602
Three Years	642	7					649
Four Years	511	5					516
Five Years	460	1				1	462
Total	5,755	49	5	2	1	1	5,813
6-17 Years	548	1		1			550

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Baltimore County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	1,277	13	2	1			1,293
One Year	5,816	91	8	2		1	5,918
Two Years	5,569	61	6	1	1	3	5,641
Three Years	1,382	25	2				1,409
Four Years	1,246	23	2	1			1,272
Five Years	999	16		1			1,016
Total	16,289	229	20	6	1	4	16,549
6-17 Years	1,544	20	1			1	1,566

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	786	6	2	1			795
One Year	4,077	65	8	1		1	4,152
Two Years	3,904	41	6	1	1	3	3,956
Three Years	1,079	17	2				1,098
Four Years	955	17	2	1			975
Five Years	797	14		1			812
Total	11,598	160	20	5	1	4	11,788
6-17 Years	1,321	17	1				1,339

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

1.
MARYLAND DEPARTMENT OF THE ENVIRONMENT
 Lead Poisoning Prevention Program: Childhood Lead Registry
 Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
 Residence
 (Annual Report 2013)

Baltimore City
 Criteria: The highest venous or highest capillary in the absence of venous test
 Blood Lead Level (µg/dL)

Age Group	≤4	5-9	10-14	15-19	20-24	≥25	Total
Under One	1,125	31	6				1,162
One Year	6,100	343	46	15	3	8	6,515
Two Years	4,979	368	41	14	7	6	5,415
Three Years	1,973	167	24	8	4	5	2,181
Four Years	1,775	143	7	4	2	3	1,934
Five Years	1,234	78	10	1	1	4	1,328
Total	17,186	1,130	134	42	17	26	18,535
6-17 Years	3,020	120	6	2	2	1	3,151

Criteria: The highest venous test
 Blood Lead Level (µg/dL)

Age Group	≤4	5-9	10-14	15-19	20-24	≥25	Total
Under One	787	18	5				810
One Year	4,352	264	43	15	3	8	4,685
Two Years	3,613	290	39	13	7	6	3,968
Three Years	1,624	138	24	8	4	5	1,803
Four Years	1,477	116	6	4	2	3	1,608
Five Years	1,028	66	10	1	1	4	1,110
Total	12,881	892	127	41	17	26	13,984
6-17 Years	2,609	98	6	2	2	1	2,718

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
 Lead Poisoning Prevention Program: Childhood Lead Registry
 Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
 Residence
 (Annual Report 2013)

Calvert County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	91	1					92
One Year	313	3					316
Two Years	146	1					147
Three Years	33						33
Four Years	23						23
Five Years	24						24
Total	630	5	0	0	0	0	635
6-17 Years	41						41

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	24						24
One Year	116	1					117
Two Years	54						54
Three Years	22						22
Four Years	9						9
Five Years	19						19
Total	244	1	0	0	0	0	245
6-17 Years	25						25

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Caroline County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	10						10
One Year	290	4	1	1			296
Two Years	247	8	2	1			258
Three Years	45	2					47
Four Years	44						44
Five Years	25	1					26
Total	661	15	3	2	0	0	681
6-17 Years	15						15

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	8						8
One Year	164	4	1	1			170
Two Years	136	8	2	1			147
Three Years	40	2					42
Four Years	39						39
Five Years	23						23
Total	410	14	3	2	0	0	429
6-17 Years	9						9

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Carroll County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	140						140
One Year	550	9	3	1			563
Two Years	324	9	1		2		336
Three Years	98	2	1				101
Four Years	87	1	1				89
Five Years	92	1					93
Total	1,291	22	6	1	2	0	1,322
6-17 Years	104	1	1				106

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	96						96
One Year	426	6	2	1			435
Two Years	257	5			2		264
Three Years	86	1	1				88
Four Years	76	1	1				78
Five Years	74	1					75
Total	1,015	14	4	1	2	0	1,036
6-17 Years	81		1				82

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Cecil County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	111	2					113
One Year	523	6	3				532
Two Years	320	8				1	329
Three Years	175	1					176
Four Years	200	1					201
Five Years	149	3					152
Total	1,478	21	3	0	0	1	1,503
6-17 Years	106	1					107

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	52						52
One Year	296	3	3				302
Two Years	156	4				1	161
Three Years	82						82
Four Years	77						77
Five Years	57						57
Total	720	7	3	0	0	1	731
6-17 Years	61						61

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Charles County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	285						285
One Year	670	11	1	1			683
Two Years	689	9	1				699
Three Years	225	2		1			228
Four Years	154	4					158
Five Years	92	1					93
Total	2,115	27	2	2	0	0	2,146
6-17 Years	183	11					194

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	123						123
One Year	394	4	1	1			400
Two Years	388	3	1				392
Three Years	139			1			140
Four Years	96						96
Five Years	64						64
Total	1,204	7	2	2	0	0	1,215
6-17 Years	79						79

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Dorchester County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	12						12
One Year	282	7					289
Two Years	202	5	1				208
Three Years	69	1					70
Four Years	64	2					66
Five Years	31						31
Total	660	15	1	0	0	0	676
6-17 Years	33		1				34

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	5						5
One Year	163	6					169
Two Years	108	5	1				114
Three Years	61	1					62
Four Years	41	2					43
Five Years	26						26
Total	404	14	1	0	0	0	419
6-17 Years	23		1				24

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Frederick County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	125	1				1	127
One Year	1,357	14	1	1	1		1,374
Two Years	546	9	1				556
Three Years	290	1				1	292
Four Years	345	1	1			1	348
Five Years	275	1					276
Total	2,938	27	3	1	1	3	2,973
6-17 Years	174	1	1				176

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	78	1				1	80
One Year	1,114	12	1	1	1		1,129
Two Years	404	7	1				412
Three Years	256	1				1	258
Four Years	294	1	1			1	297
Five Years	234	1					235
Total	2,380	23	3	1	1	3	2,411
6-17 Years	150	1	1				152

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Garrett County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	12						12
One Year	141	1					142
Two Years	128	2					130
Three Years	47	4					51
Four Years	30	1					31
Five Years	35						35
Total	393	8	0	0	0	0	401
6-17 Years	17						17

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	8						8
One Year	61	1					62
Two Years	58	2					60
Three Years	29	3					32
Four Years	19	1					20
Five Years	23						23
Total	198	7	0	0	0	0	205
6-17 Years	7						7

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Harford County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	288						288
One Year	959	10					969
Two Years	744	13		1			758
Three Years	225	6					231
Four Years	294	3					297
Five Years	309	2					311
Total	2,819	34	0	1	0	0	2,854
6-17 Years	248	3	1	1		1	254

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	218						218
One Year	738	9					747
Two Years	580	7					587
Three Years	182	5					187
Four Years	258	3					261
Five Years	252	1					253
Total	2,228	25	0	0	0	0	2,253
6-17 Years	210	1	1	1		1	214

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Howard County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	206	5					211
One Year	980	9	1				990
Two Years	581	5	1				587
Three Years	282	3					285
Four Years	229	1					230
Five Years	183		1				184
Total	2,461	23	3	0	0	0	2,487
6-17 Years	361	3					364

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	170	3					173
One Year	814	7	1				822
Two Years	479		1				480
Three Years	250	3					253
Four Years	200	1					201
Five Years	154		1				155
Total	2,067	14	3	0	0	0	2,084
6-17 Years	321	3					324

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Kent County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	14						14
One Year	117	1	1				119
Two Years	71	1					72
Three Years	19						19
Four Years	25	2					27
Five Years	11						11
Total	257	4	1	0	0	0	262
6-17 Years	10						10

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	13						13
One Year	108	1	1				110
Two Years	67	1					68
Three Years	17						17
Four Years	19	2					21
Five Years	10						10
Total	234	4	1	0	0	0	239
6-17 Years	8						8

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Montgomery County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	3,446	28	5	4	1		3,484
One Year	5,257	57	1	2			5,317
Two Years	5,293	36	1	3	1		5,334
Three Years	1,828	20	1				1,849
Four Years	2,554	19	3	1			2,577
Five Years	1,729	15	3				1,747
Total	20,107	175	14	10	2	0	20,308
6-17 Years	2,080	25	4		1		2,110

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	1,327	10	4	2			1,343
One Year	3,622	31		2			3,655
Two Years	3,030	22	1	3			3,056
Three Years	1,335	11	1				1,347
Four Years	2,053	12	3	1			2,069
Five Years	1,378	13	2				1,393
Total	12,745	99	11	8	0	0	12,863
6-17 Years	1,748	17	4		1		1,770

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Prince George's County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	2,016	18					2,034
One Year	5,756	72	3		1	1	5,833
Two Years	4,993	52	5	1			5,051
Three Years	2,518	25	2				2,545
Four Years	2,785	32					2,817
Five Years	2,135	23					2,158
Total	20,203	222	10	1	1	1	20,438
6-17 Years	3,257	65	5	1			3,328

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	1,326	10					1,336
One Year	4,396	49	2		1	1	4,449
Two Years	3,705	33	5	1			3,744
Three Years	2,096	23	1				2,120
Four Years	2,390	22					2,412
Five Years	1,838	19					1,857
Total	15,751	156	8	1	1	1	15,918
6-17 Years	2,732	43	5	1			2,781

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Queen Anne's County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	19						19
One Year	199	3		1		1	204
Two Years	108	2					110
Three Years	42						42
Four Years	35						35
Five Years	34						34
Total	437	5	0	1	0	1	444
6-17 Years	29	1	1				31

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	16						16
One Year	158	3		1		1	163
Two Years	80	2					82
Three Years	39						39
Four Years	31						31
Five Years	29						29
Total	353	5	0	1	0	1	360
6-17 Years	26	1	1				28

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Saint Mary's County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	216						216
One Year	560	7					567
Two Years	496	7					503
Three Years	99	6					105
Four Years	96						96
Five Years	46						46
Total	1,513	20	0	0	0	0	1,533
6-17 Years	73	1					74

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	10						10
One Year	58	2					60
Two Years	66						66
Three Years	17	2					19
Four Years	30						30
Five Years	18						18
Total	199	4	0	0	0	0	203
6-17 Years	40	1					41

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Somerset County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	16						16
One Year	187	2					189
Two Years	182		2	1	1		186
Three Years	70						70
Four Years	57	1					58
Five Years	44	1					45
Total	556	4	2	1	1	0	564
6-17 Years	112	2					114

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	15						15
One Year	171	2					173
Two Years	170		2	1	1		174
Three Years	68						68
Four Years	54	1					55
Five Years	40	1					41
Total	518	4	2	1	1	0	526
6-17 Years	108	2					110

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Talbot County
Criteria: The highest venous or highest capillary in the absence of venous test
Blood Lead Level (µg/dL)

Age Group	≤4	5-9	10-14	15-19	20-24	≥25	Total
Under One	13		1	1			15
One Year	286	8	3	1			298
Two Years	247	1	1				249
Three Years	49		1				50
Four Years	36	1		1			38
Five Years	17						17
Total	648	10	6	3	0	0	667
6-17 Years	24						24

Criteria: The highest venous test
Blood Lead Level (µg/dL)

Age Group	≤4	5-9	10-14	15-19	20-24	≥25	Total
Under One	9		1	1			11
One Year	141	4	3	1			149
Two Years	87	1	1				89
Three Years	42		1				43
Four Years	30	1		1			32
Five Years	14						14
Total	323	6	6	3	0	0	338
6-17 Years	20						20

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Washington County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	65	1					66
One Year	974	18	3				995
Two Years	731	24	1		1		757
Three Years	303	6	1				310
Four Years	328	4					332
Five Years	247	6		1			254
Total	2,648	59	5	1	1	0	2,714
6-17 Years	153						153

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	51	1					52
One Year	716	13	2				731
Two Years	520	17	1		1		539
Three Years	291	6	1				298
Four Years	322	4					326
Five Years	242	6		1			249
Total	2,142	47	4	1	1	0	2,195
6-17 Years	148						148

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Wicomico County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	42						42
One Year	787	19	2	1			809
Two Years	729	14	1				744
Three Years	217	8					225
Four Years	142	3	2				147
Five Years	77	4					81
Total	1,994	48	5	1	0	0	2,048
6-17 Years	153	3			1		157

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	35						35
One Year	682	14	2	1			699
Two Years	595	10	1				606
Three Years	200	8					208
Four Years	128	2	2				132
Five Years	74	4					78
Total	1,714	38	5	1	0	0	1,758
6-17 Years	149	3			1		153

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Worcester County

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	13						13
One Year	293	4	1	1		1	300
Two Years	325	3					328
Three Years	83	3					86
Four Years	77						77
Five Years	26						26
Total	817	10	1	1	0	1	830
6-17 Years	43	1					44

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	12						12
One Year	269	4	1	1		1	276
Two Years	292	3					295
Three Years	82	3					85
Four Years	74						74
Five Years	25						25
Total	754	10	1	1	0	1	767
6-17 Years	42	1					43

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
 Lead Poisoning Prevention Program: Childhood Lead Registry
 Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
 Residence
 (Annual Report 2013)

County Unknown

Criteria: The highest venous or highest capillary in the absence of venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	3						3
One Year	1						1
Two Years	1		1				2
Three Years		1					1
Four Years							0
Five Years	1						1
Total	6	1	1	0	0	0	8
6-17 Years	1						1

Criteria: The highest venous test

Age Group	Blood Lead Level (µg/dL)						Total
	≤4	5-9	10-14	15-19	20-24	≥25	
Under One	2						2
One Year	1						1
Two Years	1		1				2
Three Years		1					1
Four Years							0
Five Years	1						1
Total	5	1	1	0	0	0	7
6-17 Years							

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.
3. Includes three subjects with the highest blood lead test with out-of-state address.

MARYLAND DEPARTMENT OF THE ENVIRONMENT
Lead Poisoning Prevention Program: Childhood Lead Registry
Blood Lead Test of Children 0-72 Months in increment of 5 µg/dL by Age and County of
Residence
(Annual Report 2013)

Statewide
Criteria: The highest venous or highest capillary in the absence of venous test
Blood Lead Level (µg/dL)

Age Group	≤4	5-9	10-14	15-19	20-24	≥25	Total
Under One	10,019	104	14	7	1	1	10,146
One Year	36,248	755	84	28	6	12	37,133
Two Years	30,428	682	68	22	13	11	31,224
Three Years	10,936	295	33	9	4	7	11,284
Four Years	11,384	256	16	7	2	4	11,669
Five Years	8,444	159	14	3	1	5	8,626
Total	107,459	2,251	229	76	27	40	110,082
6-17 Years	12,478	260	21	5	4	3	12,771

Criteria: The highest venous test
Blood Lead Level (µg/dL)

Age Group	≤4	5-9	10-14	15-19	20-24	≥25	Total
Under One	5,467	51	12	5		1	5,536
One Year	25,346	537	76	27	6	12	26,004
Two Years	20,383	478	65	20	12	11	20,969
Three Years	8,699	235	32	9	4	7	8,986
Four Years	9,197	195	15	7	2	4	9,420
Five Years	6,888	131	13	3	1	5	7,041
Total	75,980	1,627	213	71	25	40	77,956
6-17 Years	10,483	189	21	5	4	2	10,704

Notes:

1. County assignment, in order of available address information, is based on census tract or the zip code of the address.
2. Blood lead tests with sample type unknown were counted as capillary.