

APPLICATIONS RECEIVED 01/16/2014 THRU 02/15/2014

ALLEGANY

- BEECHWOOD COAL, LLC– Eckhart, MD (SM-06-451) Modification
- C & S COAL COMANY – Lonaconing, MD (SM-09-456) Renewal
- G & S COAL COMPANY INC. – Westernport, MD (SM-98-430) Renewal

ANNE ARUNDEL

- BELLE GROVE CORPORATION – Annapolis, MD (77-SP-0070) Renewal for a surface mine located west side of Sands Road
- BELLE GROVE CORPORATION – Annapolis, MD (82-SP-0130) Renewal for a surface mine located on Baltimore and Annapolis Blvd

ANNE ARUNDEL

- ANNE ARUNDEL COUNTY DPW – 2662 Riva Road, 2nd Floor, Annapolis, MD 21401. (14-1016) Water permit for water reclamation facility expansion project at 462 Brock Bridge Road
- BODY WORKS THE INC - 1930 West St, Annapolis, MD 21401. Application received for GP for (1) Vehicle Refinishing (Autobody)
- LANDSMAN, LLC – P.O. Box 334, Tracy's Landing, MD 20779. (14-1006) Sewerage permit to construct wastewater treatment plant, tank in tank proposal at Unpaved Road ext. – ¼ mile North from Crownsville Road
- MARYLAND CREMATORY, LLC - 408 Headquarters Dr, Ste 10, Millersville, MD 21108. Application received for 2014 003-1477 SPTO for Human Crematory
- NATIONAL SECURITY AGENCY - 9800 Savage Rd, Fort George G. Meade, MD 20755. Application received for Renewal Part 70 for Fuel Burning Equipment

- NORTHROP GRUMMAN SYSTEMS CORPORATION - 7323 Aviation Blvd, Linthicum, MD 21090. Application received for Electronic Systems and Subsystems Manufacturing Facility. This permit authorizes the installation of one (1) new paint booth to replace an existing booth covered under Metal and Aerospace Coating Processes (ARMA Registration No. 003-0250-6-0811) and the installation of a new Secure Bonding Area consisting of one (1) spray booth, one (1) walk-in, electric oven, and one (1) new vented work station to apply adhesives and coatings to aluminum and rubber covered under the General Adhesives Application Processes (ARMA Registration No. 003-0250-6-0812). This permit includes limitations on premises-wide emissions in order that Northrop Grumman Electronic Systems Corporation may be recognized as a synthetic minor source with respect to Title V of the Clean Air Act. This permit supersedes all previous permits-to-construct issued to premises number 003-0250.
- SHELL SERVICE STATION #532 - 8695 Fort Smallwood Rd, Pasadena, MD 21122. Application received for GP for Motor Vehicle Refueling Facility
- SOUTH RIVER HIGH SCHOOL - 201 Central Ave East, Edgewater, MD 21037. Application received for GP for (1) One small Fuel Burning (Boiler/Heater) Equipment

BALTIMORE

- DUNDALK MARINE TERMINAL - 2700 Broening Hwy, Baltimore, MD 21222. Application received for Installation of (1) Emergency Generator rated @619 HP
- FRANKLIN SQUARE HOSPITAL CENTER - 9000 Franklin Square Dr, Rosedale, MD 21237. Application received for GP for (1) Medium Fuel Burning (Boiler/Heater) equipment rated @800HP
- FRANKLIN SQUARE HOSPITAL CENTER - 9000 Franklin Square Dr, Rosedale, MD 21237. Application received for Renewal Synthetic Minor SPTO for Fuel Burning Equipment
- MT ROYAL PRINTING CO INC - 6310 Blair Hill Lane, Baltimore, MD 21209. Application received for Toxics PTC for (1) Printing Press
- PHARMACEUTICS INTERNATIONAL, INC. - 103 Beaver Ct, Cockeysville, MD 21030. Application received for This permit authorizes the modification of ARMA Registration No. 005-2375-7-0696 such that both the Fluid Air fluid bed dryer (model 0120) and the Fluid Air fluid bed dryer/coater/granulator (model 0300) controlled by a thermal

oxidizer can operate simultaneously. This permit supersedes permit-to-construct numbers 005-2375-6-2955, 7-0696, 7-0697, 7-0698, and 7-0699, all of which were issued on November 1, 2013.

- SYNAGRO - PELLETECH AT BACK RIVER - 8205 Eastern Ave, Baltimore, MD 21224. Application received for Simple PTC Mod to Sludge Dryer
- UNIVERSITY OF MARYLAND - BALTIMORE COUNTY - 1000 Hilltop Cir, Baltimore, MD 21250. Application received for Renewal Synthetic Minor SPTO for Central Heating Plant
- WAWA FOOD MARKET 8504 - 3716 Washington Blvd, Halethorpe, MD 21227. Application received for GP for (1) Stationary Gasoline Storage Tank
- WNUV TV TRANSMITTER - 2038 Powers Lane, Catonsville, MD 21228. Application received for Installation of (1) Emergency Generator rated @ 760 HP

BALTIMORE CITY

- DEPARTMENT OF PUBLIC WORKS, BUREAU OF WATER AND WASTEWATER – 900 Abel Wolman Municipal Bldg., 200 N. Holliday Street, Baltimore, MD 21202. (14-1005) Sewerage permit for Enhanced Nutrient Removal at the back River WWTP, 8201 Eastern Avenue
- MPI LABELS OF BALTIMORE, INC. - 1211 Bernard Dr, Baltimore, MD 21223. Application received for Toxics PTC for (1) Printing Facility
- PROJECT CHESAPEAKE - 2010 Broening Hwy, Baltimore City, MD 21224. Application received for GP for (1) Concrete Batch Plant
- RHODIA INC - 3440 Fairfield Rd, Curtis Bay, MD 21226. Application received for Installation of two (2) process lines (Raven and Raven II) to manufacture polymer chemicals in the existing organic chemical plant
- UNITED STATES GYPSUM COMPANY - 5500 Quarantine Rd, Curtis Bay, MD 21226. Application received for Toxics Synthetic Minor PTC Mod to No.1 Board line & Kiln by incorporating a new additive

CALVERT

- DOMINION COVE POINT, LNG, LP – 2100 Cove Point Road, Lusby, MD 20657. (14-1010) Sewerage permit to construct force main and wastewater pumping station at 2100Cove Point road, Lusby Maryland, Cove Point Road (MD-497), HG Truman Road (MD-765), and Anchorage Lane
- LIGHTHOUSE INN INC/FLOATING PIER - 14640 SOLOMONS ISLAND RD S, Solomons, MD . Application received for GP for Installation of (2) Charbroiler/Pit Barbecue
- MARRICK PROPERTIES – 995 n. Prince Frederick Blvd., suite 201, Prince Frederick, MD 20678. (14-1004) Sewerage permit for drip dispersal at 10003 Dunkirk Way
- RICHFIELD STATION II JOINT VENTURE – 8161 Maple Lawn Blvd., Suite 150A, Fulton, MD 20759. (14-1011) Sewerage permit to construct force main and wastewater pumping station at Stream Walk Way, Richfield Station Subdivision

CARROLL

- C.J. MILLER, LLC - 2903 Dede Rd, Finksburg, MD 21048. Application received for Modification of ARMA Registration No. 013-0102-6-0132 to replace the burner.
- COLONIAL PIPELINE COMPANY- DORSEY JUNCTION - 929 Hoods Mill Rd, Woodbine, MD 21797. Application received for Pipeline breakout facility. This permit to construct authorizes the installation of one (1) internal floating roof to replace the existing internal floating roof of Tank 1061 (ARMA Registration No. 013-0056-9-0132). The permit includes limitations on premises-wide emissions of hazardous air pollutants (HAP) and oxides of nitrogen (NOx) in order that Colonial Pipeline Company may be recognized as a synthetic minor source of HAP and NOx. This permit supersedes all previous permits to construct issued to premises number 013-0056.

CAROLINE

- SHORE SAND & GRAVEL, LLLC – Gambrills, MD (89-SP-0332) Renewal for a surface mine located south of Goldsboro

CECIL

- SITE RENOVATION OF CHESAPEAKE HOUSE ON I-95 - 39.611250 -76.010196, Port Deposit, MD 21904. Application received for Toxics PTC for (1) Temporary Crushing Operation
- TERUMO MEDICAL CORPORATION - 950 Elkton Blvd, Elkton, MD 21921. Application received for Modification to the existing Manual Sheath Assembly Machine (SAM) / Manual Side Tube Assembly Machine (STAM) with the replacement of the SAM/STAM assembly machine with a new SAM/STAM assembly machine (ARMA Registration No. 015-0059-6-0214).
- W. L. GORE - ELK CREEK PLANT - 295 Blue Ball Rd, Elkton, MD 21921. Application received for Renewal SPTO for Coating facility
- W. L. GORE & ASSOCIATES INC APPLETON SOUTH - 100 Airport Rd, Bldg 1, Elkton, MD 21921. Application received for Renewal SPTO for Gore -Textile tubing & Fibers manufacturing
- YORK BUILDING PRODUCTS CO., INC. – York, PA (79-SP-0027) Renewal for a surface mine located on Pulaski Highway
- YORK BUILDING PRODUCTS CO., INC. – York, PA (79-SP-0593) Renewal for a surface mine located on Principio Road

CHARLES

- BOARD OF EDUCATION – CHARLES COUNTY – P.O. Box 2770, La Plata, MD 20646. (14-1003) Sewerage permit to construct wastewater treatment plant at 4740 Pisgah Marbury Road, Marbury, MD, 3 miles south MD 225/224 intersection
- CHANEY ENTERPRISES LIMITED PARTNERSHIP – Gambrills, MD (04-SP-0975) Renewal for a surface mine located southeast of Mattawoman Beantown Road
- DASH-IN #043 - 3690 Crain Hwy, Waldorf, MD 20602. Application received for GP for Motor Vehicle Refueling Facility

DORCHESTER

- TOWN OF EAST NEW MARKET – P.O. Box 24, 2 Railroad Avenue, East New Market, MD 21631. (14-1002) Water permit for interior painting to a 100 KG elevated Storage Tank in East New Market AT 38 Academy Street

FREDERICK

- CANAPES CATERING, INC - 550 Highland St, Ste 103, Frederick, MD 21701. Application received for GP for One (1) Charbroiler/ Pit Barbecue Installation
- ESSROCC CEMENT CORPORATION – Nazareth, PA (77-SP-0015-3) Renewal for a surface mine located west of Route 85
- MILLER ASPHALT - LEGORE - 11421 Woodsboro Pike, Keymar, MD 21757. Application received for Hot mix asphalt plant. This permit authorizes the modification of the hot mix asphalt plant (ARMA Registration No. 021-0409-6-0359) by the addition of a propane/ No. 2 fuel oil burner rated at 75 MMBtu/hr to replace the existing burner. This permit supersedes all permits-to-construct previously issued to ARMA Registration No. 021-0409-6-0359.
- WAWA FOOD MARKET 8505 - 5440 Urbana Pike, Frederick, MD 21703. Application received for gP for (1) Motor Vehicle Refueling Facility

GARRETT

- ARJ CONSTRUCTION COMPANY, INC. – Westernport, MD (P-14-01) Prospect
- BACKBONE MOUNTAIN, LLC- Gorman, MD (DM-03-112) Modification
- MARYLAND ENERGY RESOURCES, LLC- Grantsville, MD (DM-09-113) Amendment

HARFORD

- APG-ABERDEEN AREA - Aberdeen Area- APG, Aberdeen Proving Ground, MD 21005. Application received for Installation of One (1) boiler rated @ < 10 MMBtu
- J. M. HUBER CORPORATION - HAVRE DE GRACE - 907 Revolution St, Havre De Grace, MD 21078. Application received for Renewal part 70 for inorganic pigments production plant

- LIBERTY CHLOROX - 1467 Perryman Rd, Aberdeen, MD 21001. Application received for GP for (1) Small Fuel Burning Equipment (Boiler/Heater) Equipment
- MARYLAND PAVING, INC. - ABERDEEN - 1401 Carsins Run Rd, Aberdeen, MD 21001. Application received for Modification to the one (1) counter-flow drum hot mix asphalt plant with the replacement of the existing drum with a new drum of the same size.

MONTGOMERY

- FREESTATE PETROLEUM CORPORATION - 12401 Georgia Ave, Silver Spring, MD 20906. Application received for GP for Motor Refueling Facility
- MONTGOMERY COLLEGE - GERMANTOWN - 20200 Observation Dr, Germantown, MD 20876. Application received for GP for (1) Small Fuel Burning (boiler/Heater) Equipment
- MONTGOMERY COUNTY- FLEET MGMT SERVICES- GAITHERSBURG DEPOT - 16640 Crabbs Branch Way, Rockville, MD 20855. Application received for Toxics PTC for Temporary Crushing Operation
- SHELL - 501 QUINCE ORCHARD ROAD - 501 Quince Orchard Rd, Gaithersburg, MD 20878. Application received for GP for Motor Vehicle Refueling Facility
- WASHINGTON SUBURBAN SANITARY COMMISSION – 14501 Sweitzer Lane, Laurel, MD 20707. (14-1009) Water permit to construct water main replacement at Colesville Road/MD 29

PRINCE GEORGE'S

- ANDREWS AIR FORCE BASE - ATLANTIC CONTRACTING BATCH PLANT - 100 Nevada Ave, Upper Marlboro, MD 20772. Application received for General Permit for (1) Concrete Batch Plant
- BARNABAS ROAD ASSOCIATES, LLC - 4714 St. Barnabas Road, Temple Hills, MD 20748. Application received for Initial S-M SPTO Screening Plant
- CHELTENHAM YOUTH FACILITY - 11001 Frank Tippet Rd, Cheltenham, MD 20623. Application received for Toxics PTC for (1) Temporary Crushing Operation

- INDEPENDENCE EXCAVATING, INC @ CHELTENHAM YOUTH DETENTION CENTER - 11001 Frank Tippett Rd, Cheltenham, MD 20623. Application received for Toxics Permit to Construct (1) Portable Crushing/Screening Operation
- PANDA BRANDYWINE, L.P. - 16400 Mattawoman Dr, Brandywine, MD 20613. Application received for Renewal Part 70 for Cogeneration Facility
- ROCKWOOD PIGMENTS NA INC - 7011 Muirkirk Rd, Beltsville, MD 20705. Application received for Inorganic Pigment Production Plant
- WASHINGTON SUBURBAN SANITARY COMMISSION – 14501 Sweitzer Lane, Laurel, MD 20707-5901. (14-1012) Water permit to construct water pumping station valve replacement at 175 Brightseat Road, Landover, MD

QUEEN ANNE'S

- KENT ISLAND, LLC – c/o John Lynch, 337 Barn Hill Road, West Chester, PA 19382. (14-1017) Sewerage permit to construct force main at MD Rt. 8 and US 50
- KENT ISLAND, LLC – c/o John Lynch, 337 Barn Hill Road, West Chester, PA 19382. (14-1014) Sewerage permit to construct force main and wastewater pumping station at MD Rt. 8 and Kent Manor Drive
- THE QUEEN ANNE'S COUNTY SANITARY DISTRICT – 310 Bateau Drive, P.O. Box 10, Stevensville, MD 21666. (14-1015) Water permit to construct water treatment plant rehab at Marion Quimby Drive and Thompson Creek Road

ST. MARY'S

- JIMMY RICHARDS & SONS EXC. INC – Waldorf, MD (09-SP-1058) Renewal for a surface mine located on Rt. 5 & Rt. 236 to left on Woodburn Hill Road
- JIMMY RICHARDS & SONS EXC. INC – Waldorf, MD (09-SP-1059) Renewal for a surface mine located on Rt. 5 & Rt. 236 to left on Woodburn Hill Road
- NAVAL AIR STATION PATUXENT RIVER - 22445 Peary Rd, Bldg 504, Patuxent River, MD 20670. Application received for Simple PTC for (1) Emergency Generator

WASHINGTON

- AMCOR - STEVENS FLEXIBLE PACKAGING INC - 747 Bowman Ave, Hagerstown, MD 21740. Application received for Renewal Synthetic - Minor SPTO for Printing Plant
- DISNEY SAND & GRAVEL, LLC – Salisbury, MD (77-SP-0111) Renewal for a surface mine located on Braggs Lane
- MACK TRUCKS, INC - 13302 Pennsylvania Ave, Hagerstown, MD 21742. Application received for GP for (1) Small Fuel Burning (Boiler/Heater)
- P & W EXCAVATING INC – McConnellsburg, PA (04-SP-0972) Renewal for a surface mine located on Tricklin Spring Lane
- REDLAND BRICK, INC. - CUSHWA PLANT - 15718 Clear Spring Rd, Williamsport, MD 21795. Application received for Renewal synthetic-minor SPTO for Brick manufacturing plant
- REDLAND BRICK, INC. - CUSHWA PLANT - 15718 Clear Spring Rd, Williamsport, MD 21795. Application received for Renewal synthetic-minor SPTO for Brick mfg. plant

WICOMICO

- CITY OF SALISBURY, DEPARTMENT OF PUBLIC WORKS – 125 North Division Street, Room 202, Salisbury, MD 21801-4940. (14-1013) Sewerage permit to construct force main and wastewater pumping station at NS -0 100 Delaware Avenue, SS – 611 Ridge Road, Salisbury, MD

WORCESTER

- WORCESTER COUNTY ANIMAL CONTROL - 6207 Timmons Rd, Snow Hill, MD 21863. Application received for Renewal SPTO for Animal Crematory
- WORCESTER COUNTY DEPARTMENT OF PUBLIC WORKS – 1000 Shore Lane, Berlin, MD 21811. (14-1007) Sewerage permit to construct gravity sewers, force main and wastewater pumping station at Ocean Gateway Highway